

Walling & Accessories



STONEFACE DRYSTACK VENEER Walling, Copper Slate

Find your style

Whatever the style of your home, you will often require external walling to define some areas, confine others or make a barrier for privacy. We have a selection of premium walling products that complement our ranges of driveways and garden paving to achieve even the most ambitious projects.

Contemporary Walling

For those properties that wish to achieve a smart and modern space



- p 98 WALLING SWATCHES
- p 102 SAWN VERSURO WALLING
- p 104 STONEFACE DRYSTACK VENEER
- p 106 STONEFACE SAWN VENEER
- p 108 ARGENT

Traditional Walling

Designed to enhance and coordinate with all traditional architectural styles



- p 110 TRADITIONAL NATURAL STONE
- p 112 OLD MILL BRICK
- p 114 TEGULA
- p 115 CROFT STONE
- p 116 MARSHALITE

ACCESSORIES

- p 118 COPINGS & CAPS
- p 120 DECORATIVE AGGREGATES
- p 122 PAVING & WALLING NOTES

Walling

Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your walling products using this useful colour chart grouped by colour tone and texture.

Key Also available as:

Border	B	Driveway	D	Paving	P
Coping	C	Edging	E		



To find your local Register member please visit
www.marshalls.co.uk/findaninstaller

Walling cont'd

Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your walling products using this useful colour chart grouped by colour tone and texture.

Key Also available as:

Border

B

Driveway

D

Paving


P

Coping

C

Edging

E





SAWN VERSURO Walling, Caramel Cream Multi (CCM) with Autumn Bronze Multi (ABM) feature band. SAWN VERSURO Paving, Caramel Cream Multi (CCM)



SAWN VERSURO Walling & Coping, Autumn Bronze Multi (ABM)

The elegant, smooth and contemporary choice

Elegant Sawn Versuro walling provides a smooth and contemporary finish to enhance any garden setting, made from the same ethically sourced quartzitic Indian Sandstone as the Sawn Versuro range to give a perfect match.

Complete the look
Steps p54, p55, Borders p56, Paving p30-38, Decorative Aggregates p120



	Sizes mm (nominal)	No. items/ pack	m/ pack	Colours	Order Select
Sawn 4 Size Project Pack	500 x 100 x 100	28	4	GSM CCM ABM SM	✓**
	400 x 100 x 100	28			
	300 x 100 x 100	28			
	200 x 100 x 100	32			
Sawn Versuro Coping					
Straight Coping	500 x 136 x 50	50		GSM CCM ABM SM	✓

**Order Select will be in 1m random pattern Sawn Versuro Coping is faced on 3 sides.

SAWN VERSURO WALLING

Ethically Sourced Sandstone



- 1: SAWN VERSURO, Golden Sand Multi (GSM)
- 2: SAWN VERSURO, Caramel Cream Multi (CCM)
- 3: SAWN VERSURO, Autumn Bronze Multi (ABM)
- 4: SAWN VERSURO, Silver Multi (SM)

Marshall's recommended adhesive is Marshall's M-Fix.



This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshall.co.uk/homeowners prior to installation.

For more product notes see p123 or website





STONEFACE DRYSTACK VENEER, Copper Slate (CS).
Coping is SYMPHONY, Dark (SD) paving cut to size.
Designed & installed by Garden TLC, Oldham

Stunning natural stone walling veneers

Achieve a stunning contemporary finish that transforms existing or purpose built flat walls quickly and easily with Marshalls Stoneface Drystack walling. These attractive natural stone veneers use a clever Z-cut panel format to disguise joint lines for a seamless effect.

Drystack Packs*	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours
Z shape	150 x 550	7	0.5775	CS HM OQ NQ SV SD
Corner	150 x 550	7	0.5775	

Product comes supplied with primer and adhesive.
*Minimum order for mainland UK is 5 boxes, carriage-paid.

Complete the look
Paving p30-41, p46-52, Coping p118,
Decorative Aggregates p120



STONEFACE® DRYSTACK VENEER

Walling



- 1: STONEFACE DRYSTACK VENEER, Copper Slate (CS)
- 2: STONEFACE DRYSTACK VENEER, Harvest Mix Quartzite (HM)
- 3: STONEFACE DRYSTACK VENEER, Oyster Quartzite (OQ)
- 4: STONEFACE DRYSTACK VENEER, Nero Quartzite (NQ)
- 5: STONEFACE DRYSTACK VENEER, Slate Verte (SV)
- 6: STONEFACE DRYSTACK VENEER, Slate Dusk (SD)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p123 or website



STONEFACE SAWN VENEER Walling, Caramel Cream Multi (CCM).
Designed & installed by Brighthouse Driveways Ltd, Brighthouse

Simple and striking contemporary elegance

These beautiful natural stone veneers have been designed to clad existing or purpose built flat walls, combining all the aesthetics of sawn stone walling with the ease of the Stoneface installation method. Hand selected for a consistently matched colour blend, Stoneface Sawn Veneer walling coordinates perfectly with all Sawn Versuro products.

	Sizes mm (nominal)	No. items/ pack	m ² /pack	Colours
5 Size Mixed Box	500 x 100 x 15	4		GSM CCM ABM SM
	400 x 100 x 15	4		
	300 x 100 x 15	4		
	200 x 100 x 15	4		
	100 x 100 x 15	4		
Total/Box		20	0.6m ²	

Product comes supplied with primer and adhesive.
Minimum order for mainland UK is 5 boxes.

Complete the look
Paving p30-41, p46-52, Steps p54, Coping p118,
Decorative Aggregates p120


CO₂/M²


Marshall's


Marshall's




MID RANGE

STONEFACE® SAWN VENEER

Walling



- 1: STONEFACE SAWN VENEER, Golden Sand Multi (GSM)
- 2: STONEFACE SAWN VENEER, Caramel Cream Multi (CCM)
- 3: STONEFACE SAWN VENEER, Autumn Bronze Multi (ABM)
- 4: STONEFACE SAWN VENEER, Silver Multi (SM)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshall.co.uk/homeowners prior to installation.

For more product notes see p123 or website





ARGENT Walling, DARK (DK), ARGENT Coping, Dark (DK), ARGENT COARSE Paving, Light (LT)



ARGENT Walling, Dark (DK), ARGENT Coping, Light (LT). Designed & installed by Habitat Landscapes Ltd, Bedford

The perfect choice for contemporary designs

Clean lines, contemporary colours and an attractive granite texture and sparkle give Argent walling a cutting edge, modern look and feel. This walling is the perfect partner for other Argent products, creating a distinctive and cohesive finish.


Complete the look

Paving p40, p52, Coping p118, Decorative Aggregates p120

	Sizes mm (nominal)	No. items/ pack	No. /m ²	m ² /pack	Colours	Order Select
Argent Walling	440 x 140 x 100	90	15.2	6.1	DK LT	✓*

*Order Select supplied in minimum 1m². Blocks are faced on one side only. Quoin Ends are available through Order Select see p16.

ARGENT® Walling



- 1: ARGENT Walling, Light (LT)
- 2: ARGENT Walling, Dark (DK)



This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p123 or website





TRADITIONAL NATURAL STONE,
Pitched Face Walling, Autumn Bronze (AB)



TRADITIONAL NATURAL STONE, Pitched Face Walling, Silver Birch (SB).
Designed & installed by Perfect Paving, Keston

Traditional style in a range of colours

Create striking features with Marshalls attractive pitched or tumbled finished Traditional Natural Stone walling. Made from ethically sourced sandstone and available in two attractive colours, hand selected for consistency and designed to blend perfectly with Marshalls natural stone paving products.

Complete the look
Paving p64, p66, p68, p70, p72, Coping p118,
Decorative Aggregates p120

	Sizes mm (nominal)	No. items/ pack	No./m ² †	m ² /pack†	Colours	Order Select
Tumbled	220 x 100 x 65	290	58	5.00	SB AB	✓*
	300 x 100 x 65	215	43			
Pitched	220 x 100 x 65	290	58	5.00		
	300 x 100 x 65	215	43			

†Includes 10mm joints.
*Order Select supplied in one size block, 1m² minimum see p16.


CO₂/M²


EXCEEDED



Four stone


DELIVER


PREMIUM

TRADITIONAL NATURAL STONE

Ethically Sourced Sandstone



- 1: TRADITIONAL NATURAL STONE, Pitched Face, Silver Birch (SB)
- 2: TRADITIONAL NATURAL STONE, Pitched Face, Autumn Bronze (AB)
- 3: TRADITIONAL NATURAL STONE, Tumbled, Silver Birch (SB)
- 4: TRADITIONAL NATURAL STONE, Tumbled, Autumn Bronze (AB)

Pitched Face Walling is faced on one side and two ends.
Tumbled Walling is faced on all sides.

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p123 or website





OLD MILL BRICK Walling, Sunset (SUN).
Designed & installed by Jason Clarke
Classic Paving, Cheshire

All the charm of traditional handmade brick

Recreating the timeless, warm look of quality crafted brickwork, Old Mill Brick offers the character and beauty found in historic handmade bricks. This authentic, vintage appearance has all the benefits of frost resistance and the strength of modern brick.

	Size mm (nominal)	No. items/ pack	No. /m²	m²/pack	Colour	Order Select
Old Mill Brick	215 x 102.5 x 65	452	59	7.7	SUN	✓

*Assumes nominal 10 mm joint width.

Complete the look
Paving p64, p76-86, Coping p118,
Decorative Aggregates p120



CO₂/M²



MADE IN
BRITAIN



DELIVER



MID RANGE

OLD MILL® BRICK

Walling



1: OLD MILL BRICK, Sunset (SUN)


Faced on one side and one end.

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p123 or website

TEGULA®

Walling



1: TEGULA Walling, Cotswold (C)
2: TEGULA Walling, Traditional (TR)
Faced on one side only.

Complete the look
Paving p67, p80-86, Coping p118,
Decorative Aggregates p120

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.
For more product notes see p123 or website



TEGULA Walling, Traditional (TR), HERITAGE Coping, Old Yorkstone (OY).
Installed by Brockstone Landscape Construction Ltd, Liverpool

Creating the perfect garden or driveway wall

The perfect match for Drivesett Tegula block paving, Tegula walling features a high quality, rustic appearance designed to bring instant character to any property. Enhance the effect with a selection of copings and caps from the Marshalls range.

	Sizes mm (nominal)	No. items/ pack	No. /m²*	m²/pack	Colours	Order Select
Blocks	220 x 100 x 65	320	58	5.52	C TR	✓**
	300 x 100 x 65	240	43	5.6		
	440 x 100 x 140	80	15	5.5		

*Assumes nominal 10 mm joint width.
**Order Select supplied in one size block, 1m² minimum.



CROFT STONE Walling, Weathered (W)

Easy build, elegant DIY finish

Unique easy-build system designed specifically for the construction of retaining walls, Croft Stone walling is the perfect DIY choice. With no mortar required, the walls can be built and rebuilt to suit individual designs. Easy to construct, with one block size and two versatile colour choices.



	Sizes mm (nominal)	No. items/ pack	No. /m²	m²/pack	Colours	Order Select
Walling	300 x 170 x 100	90	33.5	2.7	W B	✓

Number of units required per linear measure						
Number of Courses	Length of Croft Wall					
	1.2m	2.4m	3.6m	4.8m	6m	
1	4	8	12	16	20	No. of blocks required
2	8	16	24	32	40	
3	12	24	36	48	60	
4	16	32	48	64	80	
5	20	40	60	80	100	
6	24	48	72	96	120	

Depth of each course 100mm

CROFT STONE®

Walling



1: CROFT STONE Walling, Buff (B)
2: CROFT STONE Walling, Weathered (W)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.
For more product notes see p123 or website





MARSHALITE PITCHED FACE, Ash Multi (AM)

The versatile choice for any garden space

Available in three natural and authentic stone finishes, a range of sizes and two attractive colours, Marshalite walling offers a versatile and effective choice to complement all garden design schemes.

	Sizes mm (nominal)	No. items/ pack	No. /m² *	m² /pack*	Colours	Order Select
Split	220 x 100 x 65	360	58	6.2	B	✓**
	300 x 100 x 65	297	43	6.9		
	440 x 100 x 140	90	14.8	6.1		
Pitched	220 x 100 x 65	360	58	6.2	B AM	
	300 x 100 x 65	297	43	6.9		
	365 x 100 x 140	100	17.8	5.6		
	440 x 100 x 140	90	14.8	6.1		
Rustic	220 x 100 x 65	320	58	5.5		
	300 x 100 x 65	297	43	6.9		

*Assumes nominal 10mm joint width
**Order Select supplied in one sized block, 1m² minimum

Complete the look
Paving p40, p52, Coping p118, Decorative Aggregates p120



CO₂/M²



MADE IN BRITAIN




DELIVER



MID RANGE

MARSHALITE® Walling



- 1: MARSHALITE, Rustic, Buff (B)
- 2: MARSHALITE, Rustic, Ash Multi (AM)
- 3: MARSHALITE, Pitched Face, Buff (B)
- 4: MARSHALITE, Pitched Face, Ash Multi (AM)
- 4: MARSHALITE, Split Face, Buff (B)

Marshalite is faced on one side and both ends.

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p123 or website



COPINGS & CAPS

Walling

Essential finishes
for walling
projects

Use co-ordinating or contrasting coping colours to cap off your walls and pillars. They are an essential component to protect the structure from water damage and they complete the look.



DRIVESETT TEGULA Walling, Traditional (TR),
HERITAGE Coping, Old Yorkstone (OY)

	Sizes mm (nominal)	No. items/ pack	m /pack	Colours	Order Select
Argent Coping					
Coarse Coping	600 x 136 x 50	50	30.5	LT, DK	✓
	600 x 272 x 50	25	15.3		
Drivesett Coping					
Coping	600 x 300 x 45	20	6*	TR	✓
Heritage Coping					
Coping/Edging	600 x 150 x 38	44	26.8	Y	✓
Coping	600 x 300 x 38	44	34.2	Y,OY,WYS	✓

	Sizes mm (nominal)	No. items/ pack	m /pack	Colours	Order Select
Precast Coping & Caps					
Coping	600 x 140 x 50 to 30	56	33.6	OW	
	600 x 280 x 50 to 30	27	16.2		
Pillar Cap	460 x 460 x 90 to 38	24	N/A		✓
	380 x 380 x 76 to 32	24			
	280 x 280 x 63 to 32	48			
Saxon Coping					
Coping	600 x 136 x 50	50	30.5	B	✓
	600 x 272 x 50	25	15.3	B	

PRECAST, Off White (OW)



HERITAGE, Old Yorkstone (OY)

P



HERITAGE, Yorkstone (Y)

P



ARGENT, Light (LT)

D E P W



ARGENT, Dark (DK)

D E P W



DRIVESETT, Traditional (TR)



SAXON, Buff (B)

P



Key

Also available as:

Driveways

Paving

Edging

Walling

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see website



DECORATIVE AGGREGATES


Accessories

Chosen to enhance gardens and driveways

Decorative Aggregates have multiple uses as decorative edgings to paths, between walls and paving, or as mulches between plants and in borders or ponds.


Consult the tables for the recommended uses of each.

For use on Drivegrid, see p163.



	Nominal grade	Available in 850kg bags*	Approx bulk bag m² coverage when laid 25mm deep	Fish friendly	Car friendly	Order Select
Decorative Aggregates						
Plum Slate Chippings 20mm	5-30mm	Yes	19	Yes		✓
Plum Slate Chippings 40mm	30-50mm	Yes	19	Yes		✓
Sea-Washed 10mm	6-10mm	Yes	19	Yes	Yes	✓
Spanish White Chippings	8-11mm	Yes	19			✓
Terracotta Chippings	8-14mm	Yes	19	Yes	Yes	✓

*Nominal weight.



	Nominal grade	Available in 850kg bags*	Approx bulk bag m² coverage when laid 25mm deep	Fish friendly	Car friendly	Order Select
Decorative Aggregates						
Blue Slate Chippings 40mm	30-50mm	Yes	19	Yes		✓
Cotswold Chippings	10-14mm	Yes	19		Yes	✓
Golden Blend 10mm	4-10mm	Yes	23	Yes	Yes	✓
Golden Blend 20mm	10-20mm	Yes	19	Yes	Yes	✓
Multi Flint Spar	8-11mm	Yes	23			✓

*Nominal weight.



SCAN PAGE



	Nominal Grade	Available in 850kg bags*	Approx bulk bag m² coverage when laid 25mm deep	Fish friendly	Car friendly	Order Select
Pebbles and Cobbles						
Atlantic Pebbles 25mm	20-30mm	Yes	15.2	Yes	Yes	✓
Atlantic Pebbles 40mm	30-50mm	Yes	N/A	Yes		✓
Atlantic Cobbles 120mm	100-150mm	Yes	N/A	Yes		✓
Paddlestones, Slate	50-100mm	Yes	N/A	Yes		✓

*Nominal weight.




	Nominal Grade	Available in 850kg bags*	Approx bulk bag m² coverage when laid 25mm deep	Fish friendly	Car friendly	Order Select
Pebbles and Cobbles						
Spanish White Pebbles	20-40mm	Yes	15.2			✓
Spanish White Cobbles	40-75mm	Yes	N/A			✓
Polished Pebbles						
Black Polished Pebbles	20-40mm	No	N/A	Yes		✓

*Nominal weight.

PEBBLES & COBBLES

Accessories



Medium to large stones for rockery features



ROCKERY

Accessories

	Nominal product size	Cage size*	Fish friendly
Rockery			
Plum Slate Rockery	Various	1 tonne	Yes
Atlantic Cobbles	150-200mm	1 tonne	Yes
Part Worn Boulders	300-400mm	1 tonne	Yes

*Nominal weight.



SCAN PAGE

Paving & Walling Notes

Note: No product can be maintenance-free. Requirement will depend on product use, location and weather.

Common to all Marshalls Natural Stone:

- Marshalls endeavour to ensure that all natural stone products are covered by the Fairstone guarantee of quality. If the Fairstone Logo is visible on a product page be assured that this product is processed and supplied only by proven ethical sources (see page 12 for more information)
- All Marshalls Sandstone paving is covered by the Marshalls Stone Standard quality mark of assurance. Where the Marshalls Stone Standard logo is visible on a sandstone page, be assured that this product not only meets but exceeds the base technical levels outlined in the British Standard
- The natural origin of stone means variation in colour, texture and natural markings is inevitable. Marshalls strive through expert hand selection to ensure the integrity of each natural stone range, however as in all natural products some variation may occur
- Natural Stone products come with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation
- Please note granite and marble is not suitable for use with WeatherPoint 365. Marshalls recommend Premierpoint see p95.

p20	ALWAYS GREEN	NEW
-----	--------------	-----

- Grades of grass supplied in 4m widths and can be cut to any length up to 25m (minimum 8m²)
- Recommend installing a driveway quality sub-base before laying Always Green for stability and ideal drainage.

p30-33	SAWN VERSURO, JUMBO, KINGSIZE & LINEAR
--------	--

- A lightly textured natural stone product with good slip resistance
- Remember if used indoors this paving should be sealed with a proprietary water based acrylic sealant
- When using Jumbo and King Size, due to the weight of the units mechanically aided lifting is essential
- Please note Jumbo and King Size can only be delivered direct to site
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p34	FLAMED NARIAS
-----	---------------

- A lightly flamed natural stone product
- This paving can be purchased in less than full packs through Marshalls Order Select process
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p36	CASARTA SLATE
-----	---------------

- A natural slate paving product
- Natural slate inevitably shows variation in colour, so viewing the actual samples is always recommended
- Also dark slate sometimes surface blemishes occur during installation, these will weather in over time,
- If used indoors an appropriate water-based sealant is recommended
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p38	LAZARO MARBLE
-----	---------------

- A marble product which should be installed on full mortar bed, and jointed with a proprietary waterproof grout
- For perfect installation of this exceptional paving Marshalls recommend specific primers and bonding agent. Your Register Installer should refer to his Pocket Installation Guide or call our Technical Advisory Service on 0370 411 2233
- We recommend the use of slurry primer, or similar flexible bonding agent to increase adhesion, this should be introduced to the back of the flag prior to installing onto the mortar bed
- Ensure cutting is carried out using a power saw with the appropriate quality diamond blade
- Marshalls Premierpoint is the recommended grout for use with this product.

p39	NATURAL SLATE
-----	---------------

- A natural slate paving product
- Please note natural products will always vary in colour although we aim to show the best representation possible, but colours are best judged by viewing actual samples
- Also dark slate sometimes surface blemishes occur during installation, these will weather in over time,
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p40	GRANITE ECLIPSE
-----	-----------------

- A natural granite paving product
- As Granite Eclipse is a natural material, varying degrees of quartz veining may be apparent in some pieces
- Make sure, if used indoors, paving is sealed with a proprietary water-based acrylic sealant
- Marshalls Premierpoint is the recommended waterproof external grout. Some other jointing compounds may stain this product.

p42	ORGANA
-----	--------

- Attractive light riven surface complements modern landscaping requirements
- Organa Paving should not be laid with butted joints
- Can be obtained in less than full pack quantities where table indicates 'Order Select'.

p44	WILDWOOD
-----	----------

- Distinctive exposed aggregate surface to paving
- Paving should not be laid with butted joints
- Can be obtained in less than full pack quantities where table indicates 'Order Select'.

p46	SYMPHONY VITRIFIED
-----	--------------------

- Vitrified paving is a high performance, manufactured paving product
- For perfect results these products require appropriate cutting tools and correct installation techniques. Consult a Marshalls Register installer or contact our Technical Advisory Service on 0370 411 2233
- Packs of Symphony are supplied with the correct amount of Premierpoint or Buff or Grey Symphony Jointing Compound.

p52	ARGENT
-----	--------

- An attractive, hardwearing concrete paving product with granite aggregates, introducing a new Plank Size
- For a contemporary look choose Argent Smooth, for greater slip skid properties try Argent Textured
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p54	MARSHALLS STEPS
-----	-----------------

- Marshalls has a broad range of high performance natural stone steps, ranging from sandstone to marble and granite
- They can be used to match Marshalls natural stone paving products or to complement concrete paving products.

p62	SCOUTMOOR
-----	-----------

- A natural stone paving product
- This product is supplied 'direct to site' only
- It is recommended that you contact Marshalls Technical Advisory Service for best installation advice when laying this paving
- A mortar joint or Instarmac FloPoint should be used with this product.

p64	CHAPELGATE	NEW
-----	------------	-----


- NEW Timeworn premium sandstone paving
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p66	RIVEN HARENA
-----	--------------

- A natural stone paving product
- This paving is carefully calibrated to a consistent thickness to ensure speed and precise installation
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p67	RIVEN HERENA CIRCLE	NEW
-----	---------------------	-----

- A new natural stone circle design 2.84m diameter with optional squaring off kit
- Remember Harena Circles are hand selected to ensure compatibility across your patio
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.



p68	RIVEN HARENA KALEIDOSCOPE	NEW
-----	---------------------------	-----

- For use as a feature within a patio with squaring off kit, or across the entire paved area, new generation 'crazy paving'
- Hand selected to blend with other Riven Harena colours
- Dry lay before bedding to confirm pattern and joint widths .
- Weatherpoint 365 brush in jointing compound is recommended
- Laying patterns are available to download or contact our Technical Advisory Service on 0370 411 2233.

p70	ANTIQUE ALVERNO
-----	-----------------

- A natural stone paving product
- This paving is carefully calibrated to a consistent thickness to ensure speed and precision of installation
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p72	LIMESTONE ALURI
-----	-----------------

- A natural stone paving product
- Please note that Charcoal limestone can lighten depending on weather conditions in your area
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p74	SYMPHONY TUMBLED	NEW
-----	------------------	-----

- New lightly distressed edges add a hint of tradition to this high performance paving
- For perfect results these products require appropriate cutting tools and correct installation techniques. Consult a Marshalls Register installer or contact our Technical Advisory Service on 0370 411 2233
- Packs of Symphony are supplied with the correct amount of Premierpoint or Buff or Grey Symphony Jointing Compound.

p76	ARRENTO
-----	---------

- Vitrified paving is a high performance, manufactured paving product
- For perfect results Arrento Vitrified products require appropriate cutting tools and correct installation techniques. Consult a Marshalls Register installer or contact our Technical Advisory Service on 0370 411 2233.

p78	COACH HOUSE
-----	-------------

- An accurate riven stone replica, concrete paving product
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p79	WOODSTONE SLEEPERS
-----	--------------------

- An accurate wood replica, concrete paving product
- Woodstone are faced on both edges for a realistic look.

p80, 81	HERITAGE & CIRCLE
---------	-------------------

- An accurate riven stone replica, concrete paving product
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'
- Heritage Circle Diameter 2.44m (occupies an area approx 5m²). Download full diagram from the website.

p82	FIRESTONE
-----	-----------

- An accurate riven stone replica, concrete paving product
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p84	SAXON
-----	-------

- Saxon is a textured concrete paving product, made with local aggregates giving excellent slip skid qualities
- Please note Saxon is made in a number of factories across the UK and uses local aggregates. So it is not recommended to lay product from a number of factories together
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p86	PERFECTA
-----	----------

- A concrete paving product with Yorkstone aggregates, which are ground to give the appearance of terrazzo
- Yorkstone aggregates, give this product excellent non-slip properties, even when wet
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p89	INDIAN SANDSTONE
-----	------------------

- A budget natural stone product
- This paving is comparative with most other commercially available sandstone but has not met the rigorous grading standards set for all our premium grade Harena sandstone.
- Weatherpoint 365 jointing compound is recommended.

p90	LEYBURN
-----	---------

- A budget concrete paving product
- Although performance is good, sizes and colours will be limited
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p91	REGENT
-----	--------

- A standard riven stone replica, concrete paving product
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p92	TEXTURED UTILITY
-----	------------------

- A budget concrete paving product with good non-slip properties
- Although performance is good, sizes and colours will be limited, and finish may be varied
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p93	UTILITY PAVING
-----	----------------

- A budget concrete paving product with a shot blasted or riven finish with good non-slip properties
- Although performance is good, sizes and colours will be limited, and finish may be varied
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'.

p94	WEATHERPOINT 365
-----	------------------

- A non hazardous, weed and frost resistant jointing compound ideal for 8-15mm joints
- Speeds up installation time
- WeatherPoint 365 can be applied in wet or dry weather conditions, but water must be always be used
- No surface staining if applied correctly
- WeatherPoint 365 is not suitable for use on granite paving or marble
- Guaranteed for 2 years if Marshalls Hard Landscaping Guarantee has been purchased.

p95	PREMIERPOINT	NEW
-----	--------------	-----

- NEW Premierpoint is particularly suitable for use on vitrified, granite and marble or for any Marshalls Paving product
- Ideal for use on a wide range of joint widths, including 5-8mm narrow, 8-15mm traditional and up to 50mm in width on driveway settings
- No surface staining when applied according to installation instructions, even on granites and marbles
- Guaranteed for 12 months or 2 years if Marshalls Hard Landscaping Guarantee has been purchased
- Installation recommendations vary dependant on the material installed. Always ensure to follow instructions on the bag and installation guide.

Common to all Marshalls Walling Products:

- Marshalls recommends the use of Coping and Caps with all Walling Products. Copings and Caps protect walls against the staining effect of rain for a period of time.

p102	SAWN VERSURO WALLING
------	----------------------

- Solid natural sandstone block walling and coping to match Versuro paving
- Faced on all sides
- Adhesive recommended is Marshalls M-Fix.

p104	STONEFACE DRYSTACK VENEER WALLING
------	-----------------------------------

- A natural stone veneer for transforming existing or purpose built walls
- Panels are in a Z cut format to hide joints, for a seamless finish
- This product is supplied with the correct amount of adhesive and primer.

p106	STONEFACE SAWN VENEER WALLING
------	-------------------------------

- A natural stone veneer for transforming existing or purpose built walls
- This product is supplied with the correct amount of adhesive and primer.

p108	ARGENT WALLING
------	----------------

- A textured concrete walling product with sparkling aggregates in the surface
- Corner Quoin Ends can be ordered via Marshalls Order Select
- Please note this walling is only faced on one side
- Use Marshalls 'M-Fix Walling Adhesive' when using this product.

p110	TRADITIONAL NATURAL STONE WALLING
------	-----------------------------------

- A premium natural stone walling product, available in a number of colours and finishes
- A 10mm joint width is recommended with this product.

p112	OLD MILL BRICK WALLING
------	------------------------

- A traditional clay walling product
- A 10mm joint width is recommended with this product.

p114	TEGULA WALLING
------	----------------

- A traditional concrete walling product which complements a range of Drivesett Tegula and other Marshalls landscaping products
- A 10mm joint width is recommended with this product.

p115	CROFT STONE WALLING
------	---------------------

- An attractive, concrete easy-build walling system
- This walling is ideal for retaining walls up to 6 courses, but should never be used as a freestanding or dividing wall.

p116	MARSHALITE WALLING
------	--------------------

- A traditional concrete walling product which complements a range of Marshalls Paving and Driveway products
- A 10mm joint width is recommended with this product.

p120	DECORATIVE AGGREGATES
------	-----------------------

- Decorative Aggregates are natural products
- Note, because they are naturally occurring they may vary slightly in size and colour
- Recommended minimum coverage for aesthetic effect – 25mm, for weed supression – 50mm
- Decorative aggregates do not always provide a solid base to walk on, please take care.

For specific installation guides Marshalls Register Installers can also consult the Installer Pocket Guide. Or if you are laying any Marshalls products for the first time, please contact Marshalls Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk for installation advice.